

### **Table of Contents**

ENERGY STAR® Fryer	p. 2	ENERGY STAR® Rack Oven	p. 7	ENERGY STAR® Griddle	p. 14
ENERGY STAR® Steam Cooker	p. 5	ENERGY STAR® Convection Oven	p. 8	High Efficiency Conveyor Oven	p. 15
High-Efficiency Under-Fired Broiler	p. 6	ENERGY STAR® Combi Oven	p. 11		



For address validation: **ppc.clearesult.com** 

# ENERGY STAR® Fryer—Minimum customer discount of \$300/vat

Page 1 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

Anets	
MODEL	MUST BE IN TEMPLATE AS
AV40	Same Model Number (See Left)
AGP55	AGP55
SFAGP55	Input Required for PPC
AGP60	AGP60
SFAGP60	Input Required for PPC
AGP60W	AGP60W
SFAGP60W	Input Required for PPC
AGP75	AGP75
SFAGP75	Input Required for PPC

Pitco	Pitco
MODEL	MODEL
AV70	SFSSH75
SOHF55	SSH75
SFSOH55	SSHF75
SOH55	SFSSHLV14
SGC	SSHLV14
SSH55	SSHLVF14
SSHF55	SFSSH60W
SFSSH55	SSHF60
MGII	SSH60
SGH50	SFSSH60
SSH60W	VF35
SSHF60W	VF65

Electrolux	
MODEL	
AFRG16	

Henny Penny		
MODEL		
OFG-32#		
EEG-15#		
EEG-16#		
EEG-24#		
EEG-25#		
OGA-32#		

Royal Range	
MODEL	MUST BE IN TEMPLATE AS
REEF-35	Same Model Number (See Left)
RHEF-45	Same Model Number (See Left)
RHEF-75-CM/DM/EM	RHEF-75-CM/DM/EM Input Required for PPC

# ENERGY STAR® Fryer—Minimum customer discount of \$300/vat

Page 2 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

Frymaster	
MODEL	MUST BE IN TEMPLATE AS
ESG35T	Same Model Number (See Left)
LHD#65	
LHD165	
FPLHD265	LUD#65
FPLHD365	LHD#65 Input Required for PPC
FPLHD465	input nequired for FFG
FPLHD565	
FPLHD665	
FPGL#30	
FPGL130	
FPGL230	FPGL#30
FPGL330	Input Required for PPC
FPGL430	
FPGL530	
2FQG30U	2FQG30U
3FQG30U	Input Required for PPC
4FQG30U	input rioquirou for the
5FQG30U	
FMGL130	
FMGL230	FPGL#30
FMGL330	Input Required for PPC
FMGL430	
FMGL530	
#1814G	
11814G	
21814G	
31814G	#1814G
41814G	Input Required for PPC
11814GF	
21814GF	
31814GF	
41814GF	

Frymaster	
MODEL	MUST BE IN TEMPLATE AS
HD#50G	
HD150G	
HD250G	
HD350G	
HD450G	
HD550G	
HD650G	
SCFHD250G	LID#EOC
SCFHD350G	HD#50G
SCFHD450G	Input Required for PPC
SCFHD550G	
SCFHD650G	
YCFH114G	
YSCFH214G	
CFHD150G	
YSCFH314G	
YSCFH414G	
YCFH#50G	
YSCFH#50G	HD#50G
YSCFH314	Input Required for PPC
YSCFH414	

# ENERGY STAR® Fryer—Minimum customer discount of \$300/vat

Page 3 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

#### Frymaster continued

MODEL	MUST BE IN TEMPLATE AS
BIPH#55	
BIPH155	
BIPH255	
BIPH355	
BIPH455	
BIPH555	
BIPH655	
FMPH#55	
FMPH155	
FMPH255	
FMPH355	
FMPH455	
FMPH555	
FMPH655	
FPH#55	DU#EE
FPH155	PH#55 Input Required for PPC
FPPH#55	input nequired for FFO
FPPH255	
FPPH355	
FPPH455	
FPPH555	
FPPH655	
MPH#55	
PH#55	
PH#55	
PH155	
PH255	
PH355	
PH455	
PH555	
PH655	

### Vulcan

MODEL	MUST BE IN TEMPLATE AS	
1VEG35M-1	1VEG35M-1	
1VEG35M-2	Input Required for PPC	
TR45A		
TR45C	TR45A	
TR45D	Input Required for PPC	
VFRY18		
TR65A	Same Model Number (See Left)	
TR65C	Same Model Number (See Left)	
TR65D	Same Model Number (See Left)	
TR85A	Same Model Number (See Left)	
TR85C	Same Model Number (See Left)	
TR85D	Same Model Number (See Left)	
VK45	Same Model Number (See Left)	
VK65	Same Model Number (See Left)	
VK85	Same Model Number (See Left)	

### **Ultrafryer**

MODEL	MUST BE IN TEMPLATE AS
P30-RS	Same Model Number (See Left)
BP20-20	Same Model Number (See Left)
BP30-20	Same Model Number (See Left)
P20-18	Same Model Number (See Left)
P20-20	Same Model Number (See Left)
P30-14	Same Model Number (See Left)
P30-18	Same Model Number (See Left)
IR-18	Same Model Number (See Left)
IR-20	Same Model Number (See Left)
IRD-14	IRC-14-B Input Required for PPC
IRD-14	IRD-14
IRM-14	Input Required for PPC
IRC-14	
IRS-14	IRC-14
IRC-14-B	Input Required for PPC

# ENERGY STAR® Steam Cooker—Minimum customer discount of \$400/unit

Page 1 of 1

Accutemp	Cleveland Range	Market Forge
MODEL	MODEL	MODEL
N61201D060	24CGA10.2ES	Sirius II-8
N61201E060	24CGA6.2SES	Sirius II-10
	22CGT6.1	Sirius II-6
		ETP-10G

# High-Efficiency Under-Fired Broiler—Minimum customer discount of \$300/unit

Page 1 of 1

Vulcan	
MODEL	
VTEC36	
VTEC48	
VTEC60	

### **ENERGY STAR® Rack Oven**

Page 1 of 1

**Belshaw Adamatic** 

MODEL
OVEN-2020

## Single rack—Minimum customer discount of \$300/unit

Baxter	LBC Bakery Equipment	Revent	
MODEL	MODEL	MODEL	
OV500G1-EE	LRO-1G6	726 G CG U	
OV520G2		ONE26	

### Double rack—Minimum customer discount of \$360/unit

Baxter	LBC Bakery Equipment	Revent
MODEL	MODEL	MODEL
OV500G2-EE	LRO-2G5	724
	LRO-2G6	

**Distributor Discount Program Qualified Products List**-Foodservice | Enbridge Gas Inc.

### ENERGY STAR® Convection Oven — Minimum customer discount of \$300/unit

Page 1 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

<b>Ame</b>	rican	Range

MODEL	MUST BE IN TEMPLATE AS
MSD-1	MSD-1
MSD-2	Input Required for PPC

### Atosa/CookRite

MODEL	MUST BE IN TEMPLATE AS
ATCO-513A	
ATCO-513A-D	ATCO-513A
ATCO-513B	Input Required for PPC
ATCO-513B-D	

#### **Bakers Pride**

MODEL	MUST BE IN TEMPLATE AS
GDCO-G1	
BCO-G1	
BCO-G2	GDCO-G1
CO11-G1	Input Required for PPC
CO11-G2	
GDCO-G2	

### **Blodgett**

MODEL	MUST BE IN TEMPLATE AS
DFG-100-ES	
BDO-100-G-ES	DFG-100-ES
DFG-100-K12-ES	Input Required for PPC
Zephaire-100-G-ES	
Zephaire-200-G-ES	7
DFG-200-ES	Zephaire-200-G-ES
DFG-200-K12-ES	Input Required for PPC
HV-100G	HV-100G
HVH-100G	Input Required for PPC

#### BKI

MODEL	MUST BE IN TEMPLATE AS
COB-GS	
COB-GD	COB-GS
COM-GS	Input Required for PPC
COM-GD	

#### **Duke**

MODEL	MUST BE IN TEMPLATE AS
613-G1V	Same Model Number (See Left)
613-G1XX	Same Model Number (See Left)
613Q-G1V	Same Model Number (See Left)
613Q-G1XX	Same Model Number (See Left)
613-G2V	Same Model Number (See Left)
613-G2XX	Same Model Number (See Left)
613Q-G2V	Same Model Number (See Left)
613Q-G2XX	Same Model Number (See Left)
E102-G	Same Model Number (See Left)

#### **Garland**

MODEL	MUST BE IN TEMPLATE AS
MCO-GS-10ESS	Same Model Number (See Left)
SCO-GS-10ESS	Same Model Number (See Left)

### **Gusto Equipment**

MODEL	MUST BE IN TEMPLATE AS
GUSC01-SNG-NAT	Same Model Number (See Left)

#### Lang

MODEL	MUST BE IN TEMPLATE AS
GCSF-ES	GCSF-ES
GCSF-EZ	Input Required for PPC

### ENERGY STAR® Convection Oven — Minimum customer discount of \$300/unit

Page 2 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

MODEL	MUST BE IN TEMPLATE AS
G32D5	Same Model Number (See Left)

#### **Padela**

MODEL	MUST BE IN TEMPLATE AS
PCFCO-1	Same Model Number (See Left)

#### **Montague**

MODEL	MUST BE IN TEMPLATE AS
HX63A	
HX2-63A	
HX2-63AH	HX63A
HX2-63AR	Input Required for PPC
HX63AH	
HX63AR	

#### **Revent**

MODEL	MUST BE IN TEMPLATE AS
ONE39	Same Model Number (See Left)

### **Royal Range of California**

MODEL	MUST BE IN TEMPLATE AS
RCOS-1	RCOS-1
RCOS-2	Input Required for PPC

#### Southbend

Southbend	
MODEL	MUST BE IN TEMPLATE AS
BGS/13SC	
BGS/23SC	
BGS/13CCH	
BGS/23CCH	
KLGS/13SC	
KLGS/23SC	
KLGS/13CCH	
KLGS/23CCH	BGS/13SC
SLGS/13SC	Input Required for PPC
SLGS/23SC	
SLGS/13CCH	
SLGS/23CCH	
GS/13SC	
GS/23SC	
GS/13CCH	
GS/23CCH	
GS/15SC	
GS/25SC	GS/15SC
GS/15CCH	Input Required for PPC
GS/25CCH	

#### **Southbend** continued

MODEL	MUST BE IN TEMPLATE AS
KLGS/17SC	
KLGS/27SC	
KLGS/17CCH	
KLGS/27CCH	
GS/17SC	
GS/27SC	
GS/17CCH	
GS/27CCH	
SLGS/17SC	KLGS/17SC
SLGS/27SC	Input Required for PPC
SLGS/17CCH	
SLGS/27CCH	
BGS/17SC	
BGS/27SC	
BGS/17CCH	
BGS/27CCH	
PCR-1G	
PCR-2G	
SLGS/12SC (W/ NRG)	SLGS/12SC
SLGS/22SC	
SLGS/12CCH	(W/ NRG)
SLGS/22CCH	Input Required for PPC

### ENERGY STAR® Convection Oven — Minimum customer discount of \$300/unit

Page 3 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

Tr	i-Star	

MODEL	MUST BE IN TEMPLATE AS
TSCO-G1	Same Model Number (See Left)
TSCO-G2	Same Model Number (See Left)

### **US Range**

MODEL	MUST BE IN TEMPLATE AS
SUMG-GS-10ESS	Same Model Number (See Left)

#### **Vulcan**

- Taioaii	
MODEL	MUST BE IN TEMPLATE AS
SG6	Same Model Number (See Left)
VC4GD	
VC4GC	VC4GD
VC6GC	Input Required for PPC
VC6GD	
VC55G	Same Model Number (See Left)
VC5G	Same Model Number (See Left)

#### **Vulcan/Wolf**

MODEL	MUST BE IN TEMPLATE AS
SG4	Same Model Number (See Left)
SG44	Same Model Number (See Left)
VC4GD	Same Model Number (See Left)
VC6GD	Same Model Number (See Left)

#### Wolf

MODEL	MUST BE IN TEMPLATE AS
WKGC1	Same Model Number (See Left)
WKGC2	Same Model Number (See Left)
WKGD1	Same Model Number (See Left)
WKGD2	Same Model Number (See Left)

### ENERGY STAR® Combi-Oven—Minimum customer discount of \$500/unit

Page 1 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

Alto-	-Sh	aam
-------	-----	-----

MODEL	MUST BE IN TEMPLATE AS
CTC7-20G	Same Model Number (See Left)
CTP20-20G	Same Model Number (See Left)
CTP7-20G	Same Model Number (See Left)

### **Angelo Po**

MODEL	MUST BE IN TEMPLATE AS
FX122G3	
FX122G3C	FX122G3
FX122G3CT	Input Required for PPC
FX122G3TR	
FX122G3T	Same Model Number (See Left)
FX202G3	Same Model Number (See Left)
FX202G3R	Same Model Number (See Left)
FX82G3	
FX82G3R	FX82G3
FX82G3CT	Input Required for PPC
FX82G3TR	
FX122G3T	Same Model Number (See Left)

#### Convotherm

MODEL	MUST BE IN TEMPLATE AS
C4eD10.20GS	Same Model Number (See Left)
c4eD20.20GB	Same Model Number (See Left)
C4eD6.20GB	Same Model Number (See Left)
C4eD6.20GS	Same Model Number (See Left)
C4eT10.20GS	Same Model Number (See Left)
c4eT20.20GB	Same Model Number (See Left)
C4eT6.20GB	Same Model Number (See Left)
C4ET6.20GS	Same Model Number (See Left)

### **Electrolux**

MODEL	MUST BE IN TEMPLATE AS
COG11T30	
COG11D30	COG11T30
COG11D3K	Input Required for PPC
COG11T3K	
COG61T30	
COG61D30	COG61T30
COG61D3K	Input Required for PPC
COG61T3K	

Lainox	
MODEL	MUST BE IN TEMPLATE AS
NAGB071	
NAGB071R	
NAGB071RUS	NAGB071
NAGB071US	Input Required for PPC
SAGB071R	
SAGB071RUS	
NAGB072	
NAGB072R	
NAGB072RUS	NAGB072
NAGB072US	Input Required for PPC
SAGB072R	
SAGB072RUS	
NAGB101	
NAGB101R	
NAGB101RUS	NAGB101
NAGB101US	Input Required for PPC
SAGB101R	
SAGB101RUS	
NAGB102	
NAGB102R	
NAGB102RUS	NAGB102
NAGB102US	Input Required for PPC
SAGB102R	
SAGB102RUS	

### ENERGY STAR® Combi-Oven — Minimum customer discount of \$500/unit

Page 2 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

Lainox continued	
MODEL	MUST BE IN TEMPLATE AS
NAGB201	
NAGB201R	
NAGB201RUS	NAGB201
NAGB201US	Input Required for PPC
SAGB201R	
SAGB201RUS	
NAGB202	
NAGB202R	
NAGB202RUS	NAGB202
NAGB202US	Input Required for PPC
SAGB202R	
SAGB202RUS	
NAGV071	
NAGV071R	
NAGV071RUS	NAGV071
NAGV071US	Input Required for PPC
SAGV071R	
SAGV071RUS	
NAGV072	
NAGV072R	
NAGV072RUS	NAGV072
NAGV072US	Input Required for PPC
SAGV072R	
SAGV072RUS	
NAGV101	
NAGV101R	
NAGV101RUS	NAGV101
NAGV101US	Input Required for PPC
SAGV101R	
SAGV101RUS	

Lainox continued	
MODEL	MUST BE IN TEMPLATE AS
NAGV102	
NAGV102R	
NAGV102RUS	NAGV102
NAGV102US	Input Required for PPC
SAGV102R	
SAGV102RUS	
NAGV201	
NAGV201R	
NAGV201RUS	NAGV201
NAGV201US	Input Required for PPC
SAGV201R	
SAGV201RUS	
NAGV202	
NAGV202R	
NAGV202RUS	NAGV202
NAGV202US	Input Required for PPC
SAGV202R	
SAGV202RUS	

#### **Rational**

national	
MODEL	MUST BE IN TEMPLATE AS
CMP 61G	Same Model Number (See Left)
CMP 62G	Same Model Number (See Left)
LM100BG	
CB1GRRA.0000230 iCombi ICP 6-HALF NG	LM100BG Input Required for PPC
CB1GRRA.0000231 iCombi ICP 6-HALF NG	
LM100CG	1140000
CC1GRRA.0000238 iCombi ICP 6-FULL NG	LM100CG Input Required for PPC
LM100DG	
CD1GRRA.0000234 iCombi ICP 10-HALF NG	LM100DG Input Required for PPC
CD1GRRA.0000235 iCombi ICP 10-HALF NG	Iliput nequiled for PPC

### ENERGY STAR® Combi-Oven — Minimum customer discount of \$500/unit

Page 3 of 3

NOTE: Select Ultrafryer, Vulcan and Frymaster models have a primary model required for the upload template as noted in **BLUE** below.

Rational continued		UNOX S.p.A.
MODEL	MUST BE IN TEMPLATE AS	MODEL
LM100EG	11440000	XAVC-06FS-GPa-xx
CE1GRRA.0000240	LM100EG Input Required for PPC	XAVC-06FS-GPL
iCombi ICP 10-FULL NG	input nequired for FFO	XAVC-1011-GP*-*
LM100FG		XAVC-1011-GPL
CF1GRRA.0000242	1140050	XAVC-1011-GPL-*
iCombi ICP 20-HALF NG	LM100FG	XAVC-1011-GPR
CF1GRRA.0000243	Input Required for PPC	XAVC-1011-GPR-*
iCombi ICP 20-HALF NG		XAVC-10FS-GPa-xx
LM100GG	1140000	XAVC-16FS-GPx
CG1GRRA.0000245	LM100GG	XAVC-16FS-GPL
iCombi ICP 20-FULL NG	Input Required for PPC	XAVL-2021-GP*S-**
SCC WE 101G	Same Model Number (See Left)	XAVL-2021-NP*S-**
SCC WE 102G	Same Model Number (See Left)	XEVC-0711-GP*-*
SCC WE 201G	Same Model Number (See Left)	XEVC-1011-GP*M-**
SCC WE 202G	Same Model Number (See Left)	
SCC WE 61G	Same Model Number (See Left)	XEVL-2011-GP*-*
SCC WE 62G	Same Model Number (See Left)	XEVL-2021-GP*-*

UNOX 3.p.A.	
MODEL	MUST BE IN TEMPLATE AS
XAVC-06FS-GPa-xx	XAVC-06FS-GPa-xx
XAVC-06FS-GPL	Input Required for PPC
XAVC-1011-GP*-*	
XAVC-1011-GPL	V4V6 4644 654 4
XAVC-1011-GPL-*	XAVC-1011-GP*-*
XAVC-1011-GPR	Input Required for PPC
XAVC-1011-GPR-*	
XAVC-10FS-GPa-xx	Same Model Number (See Left)
XAVC-16FS-GPx	XAVC-16FS-GPx
XAVC-16FS-GPL	Input Required for PPC
XAVL-2021-GP*S-**	Same Model Number (See Left)
XAVL-2021-NP*S-**	Same Model Number (See Left)
XEVC-0711-GP*-*	Same Model Number (See Left)
XEVC-1011-GP*M-**	Same Model Number (See Left)
XEVL-2011-GP*-*	Same Model Number (See Left)
XEVL-2021-GP*-*	Same Model Number (See Left)

### ENERGY STAR® Griddle — Minimum customer discount of \$500/unit

Page 1 of 1

PGF\*\*\*\*48

VCCG60-AS01

AccuTemp	
MODEL	
GGF****24	
GGF****36	
GGF****48	
PGF****24	
PGF****36	

Electrolux	
MODEL	
ARG36FR	
ARG48FR	

Imperial	
MODEL	
IHEG-36-J	
IHEG-48-J	
IHEG-60-J	
IHEG-72-J	
IHEG-36-JS	
IHEG-48-JS	
IHEG-60-JS	
IHEG-72-JS	

Vulcan-Hart	Vulcan-Hart
MODEL	MODEL
VCCG36-IS02	VCCG60-AS02
V00000 1004	V00000 0N04

VCCG36-1502	VCCG60-AS02
VCCG36-IS01	VCCG60-SNC1
VCCG48-IS01	VCCG60-SNC2
VCCG48-IS02	VCCG72-AS01
VCCG60-IS01	VCCG72-AS02
VCCG60-IS02	VCCG72-SNC1
VCCG72-IS01	VCCG72-SNC2
VCCG72-IS02	VCCG36-IC02
VCCG36-IR01	VCCG36-IC01
VCCG36-IR02	VCCG48-IC01
VCCG48-IR01	VCCG48-IC02
VCCG48-IR02	VCCG60-IC01
VCCG60-IR01	VCCG60-IC02
VCCG60-IR02	VCCG24-IC02
VCCG72-IR01	VCCG24-IC01
VCCG72-IR02	VCCG36-AR01
VCCG36-AS01	VCCG36-AR02
VCCG36-AS02	VCCG48-AR01
VCCG48-AS01	VCCG48-AR02
VCCG48-AS02	VCCG60-AR01
VCCG48-SNC1	VCCG60-AR02
VCCG48-SNC2	VCCG72-AR01

VCCG72-AR02

### **Energy-efficient Conveyor Oven**

Page 1 of 1

Less than 1,520 in<sup>2</sup> cooking chamber—Minimum customer discount of \$100/unit

Lincoln	XLT
MODEL	MODEL
1600 Impinger	3240-HP

Greater than or equal to 1,520 in<sup>2</sup> cooking chamber — Minimum customer discount of \$220/unit

Middleby	XLT
MODEL	MODEL
PS570G	3255
PS670G	3255D
PS770G	3870-2B
PS870G	3855
PS970G	3270-2B
	3270

