

UNDERTAKING JT2.8

UNDERTAKING

TR 2, p.49

To make best efforts to provide the number of participants by measure in the C&I and prescriptive customers

RESPONSE

Enbridge has several points of context to provide before setting out the requested information.

First, as noted in the discussion at the Technical Conference (2Tr49, lines 1 to 12), Enbridge agreed to make best efforts to provide customer numbers by measure for C&I prescriptive programs, rather than C&I and prescriptive programs.

Second, as noted by Enbridge at the Technical Conference, the 2016 numbers are not finalized (the audit program is ongoing) and it is important to recognize that changes can still occur.

Third, it must be recognized that without the inclusion of a more comprehensive picture of the marketplace in which results are being achieved and of the remaining results from the rest of the C&I program, only a partial picture is being presented. A more accurate and complete review of the Company's results in 2016 will be best seen at the conclusion of the audit. In addition, moving forward, addressing the marketplace context in which results are achieved will be important.

Taking all of that context into account, the Company's current information about participants by measure for the C&I prescriptive programs in 2016 is listed below.

Technology	Participant
Air Doors	29
Boiler - Condensing	10
Boiler - Hydronic	2
Boiler - Hydronic Condensing	8
Boiler - Hydronic Condensing - Replacement	5
Boiler - Hydronic High Efficiency	25
Boiler - Hydronic High Efficiency - Replacement	5
Condensing Make Up Air Unit	1
Condensing Unit Heater	1
DCV	20
Destratification	19
Direct Contact Water Heater	2
Dishwasher	26
ERV	8
Fryer	33
Furnace	9
HRV	3
Infrared	202
Kitchen Ventilation	59
Make Up Air Unit	1
Ozone Laundry	24
Tank Type Water Heater	1
Water Heater - Tankless/Instantaneous	1